Appendix H. Glossary

Abiotic Factors: The non-living parts of an ecosystem, such as light, temperature, water, oxygen, and other nutrients or gases.

Accumulation: The build-up of a chemical in an organism due to repeated exposure.

Adaptive Management: The rigorous application of management, research, and monitoring to gain information and experience necessary to assess and modify management activities. A process that uses feedback from refuge research and monitoring and evaluation of management actions to support or modify objectives and strategies at all planning levels (Service Manual 602 FW 1.6).

Alluvial Fan: Accumulation of sediment where a stream moves from a steep gradient to a flatter gradient and suddenly loses transporting power.

Alluvial: Pertaining to clay, silt, sand, gravel or other sedimentary matter deposited by flowing water, usually within a river valley.

Alternatives: Different sets of objectives and strategies or means of achieving refuge purposes and goals, helping fulfill the Refuge System mission, and resolving issues. (1) A reasonable way to fix the identified problem or satisfy the stated need. (40 CFR 150.2) (2) Alternatives are different sets of objectives and strategies or means of achieving refuge purposes and goals, helping fulfill the Refuge System mission, and resolving issues (Service Manual 602 FW 1.6).

Animal Unit Month (AUM): The amount of forage necessary to maintain one 1,000-pound animal for one month.

Appropriated Water: Surface water in an irrigation district that has been assigned or allocated to owners of water rights.

Appurtenant Land: The land base to which water rights legally pertain or belong.

Aquatic: Pertaining to water, in contrast to land. Living in or upon water.

Aquatic Habitat: The physical, chemical, and vegetative features that occur within the water of lakes, ponds, reservoirs, rivers, irrigation canals, and other bodies of water.

Artifact: An object made by humans; usually in reference to primitive tools, vessels, weapons, etc.

ATV: All Terrain Vehicle (either 3 or 4-wheeled vehicles).

Bank: The rising ground bordering a body of water or forming the edge of a cut or hollow.

Biodiversity (biological diversity): Refers to the full range of variability within and among biological communities, including genetic diversity, and the variety of living organisms, assemblages of living organisms, and biological processes. Diversity can be measured in terms of the number of different items (species, communities) and their relative abundance, and it can include horizontal and vertical variability. The variety of life, including the variety of living organisms, the genetic differences among them, and the communities in which they occur.

Biological Control: The use of organisms or viruses to control weeds or other pests.

Biological Integrity: Biotic composition, structure, and functioning at the genetic, organism, and community levels consistent with natural conditions, including the natural biological processes that shape genomes, organisms, and communities (Service Manual 602 FW 1.6).

Biota: The plant and animal life of a region.

Biotic Factors: All the living organisms -- fungi, protists, vertebrate, invertebrate, plants, etc. and their impacts on other living things within an ecosystem.

Bottom Land: Eligible land with a water duty of 3.5 AF/acre/year.

Categorical Exclusion (CE, CX, CATEX, CATX): A category of actions that do not individually or cumulatively have a significant effect on the human environment and have been found to have no such effect in procedures adopted by a Federal agency pursuant to the National Environmental Policy Act (40 CFR 1508.4).

CFR: Code of Federal Regulations.

Community: The combined populations of all organisms in a given area, and their interactions. For example, the frogs, fish, algae, cattails, and lily pads in a backyard pond make up a community.

Compatible Use: A proposed or existing wildlife-dependent recreational use or any other use of a national wildlife refuge that, based on sound professional judgment, will not materially interfere with or detract from the fulfillment of the National Wildlife Refuge System mission or the purposes of the national wildlife refuge (Service Manual 603 FW 2.6).

Compatibility Determination: A written determination signed and dated by the refuge manager and Regional Chief signifying that a proposed or existing use of a national wildlife refuge is a compatible use or is not a compatible use. The Director makes this delegation through the Regional Director (Service Manual 603 FW 2.6).

Comprehensive Conservation Plan (CCP): A document that describes the desired future conditions of the refuge or planning unit and provides long-range guidance and management direction to achieve the purposes of the refuge, helps fulfill the mission of the Refuge System; maintains and, where appropriate, restores the ecological integrity of each refuge and the Refuge System; helps achieve the goals of the National Wilderness Preservation System; and meets other mandates (Service Manual 602 FW 1.6).

Concern: See Issue.

Coordination Area: A wildlife management area made available to a State, by "(A) cooperative agreement between the United States Fish and Wildlife Service and the State fish and game agency pursuant to Section 4 of the Fish and Wildlife Coordination Act (16 U.S.C. 664); or (B) by long-term leases or agreements pursuant to the Bankhead-Jones Farm Tenant Act (50 Stat. 525; 7 U.S.C. 1010 et seq.)." States manage Coordination Areas, but they are part of the Refuge System. We do not require CCPs for Coordination Areas (Service Manual 602 FW 1.6).

Cultural Resource: The physical remains of human activity (artifacts, ruins, petroglyphs, etc.) and conceptual content or context of an area such as a traditional sacred site. It includes historically, archaeologically and architecturally significant resources.

Cultural Resource Inventory: A professionally conducted study designed to locate and evaluate evidence of cultural resources present within a defined geographic area. Inventories may involve various levels, including background literature search, comprehensive field examination to identify all exposed physical manifestations of cultural resources, or sample inventory to project site distribution and density over a larger area. Evaluation of identified cultural resources to determine eligibility for the National Register follows the criteria found in 36 CFR 60.4 (Service Manual 614 FW 1.7).

Cultural Resource Overview: A comprehensive document prepared for a field office that discusses, among other things, its prehistory and cultural history, the nature and extent of known cultural resources, previous research, management objectives, resource management conflicts or issues, and a general statement on how program objectives should be met and conflicts resolved. An overview should reference or incorporate information from a field offices background or literature search described in Section VIII of the Cultural Resource Management Handbook (Service Manual 614 FW 1.7).

Deposits: Material that is laid down through the actions of wind, water, ice, or other natural process.

Detritus: An accumulation of decomposing plant and animal remains.

Dissolved-Solids: Particles that are dissolved and suspended in water. See also total dissolved solids.

Diversion: A structure in a river or canal that diverts water from the river or canal to another water course.

Drain: A canal that collects and transports excess water from irrigated farmland.

Easement: A privilege or right that is held by one person or other entity in land owned by another.

Ecological Integrity: The integration of biological integrity, natural biological diversity, and environmental health; the replication of natural conditions (Service Manual 602 FW 1.6).

Ecology: The branch of biology that studies the interactions of organisms within an environment, either with other organisms (biotic factors) or with the non-living components (abiotic factors) of that ecosystem.

Ecosystem: The sum of all interacting parts of the environment and associated ecological communities within a particular area; an ecological system. Many levels of ecosystems have been recognized. Very few, if any ecosystems are self-contained; most influence, or are influenced by, components or forces outside the system. For administrative purposes, we have designated 53 ecosystems covering the United States and its possessions. These ecosystems generally correspond with watershed boundaries, and their sizes and ecological complexity vary.

Ecosystem Approach: Protecting or restoring the natural function (processes), structure (physical and biological patterns), and species composition of an ecosystem, recognizing that all components are interrelated.

Effect: A change in a resource, caused by a variety of events including project attributes acting on a resource attribute (direct), not directly acting on a resource attribute (indirect), another project attributes acting on a resource attribute (cumulative), and those caused by natural events (e.g., seasonal change).

Efficiency: With reference to an irrigation water delivery system, the proportion of the amount of water delivered for irrigation use compared to the total amount of water released to meet that delivery (i.e., amount of delivery divided by amount of release).

Effluent: Waste material discharged into the environment from a wastewater treatment facility.

Emergent Vegetation: Rooted, aquatic plants that have most of their vegetative (nonroot) parts above water.

Endemic Species: Plants or animals that occur naturally in a certain region and whose distribution is relatively limited to a particular locality.

Endangered Species: Any species that is in danger of extinction throughout all or a significant portion of its range and listed as such by the Secretary of the Interior in accordance with the Endangered Species Act of 1973. Endangered species are afforded protection under the Act as amended and under various State laws for State-listed species.

Entitlement: The annual maximum amount of water which can be delivered to a parcel of land, a product of eligible acres and water duty (expressed in acre-feet).

Environment: The sum total of all biological, chemical, and physical factors to which organisms are exposed; the surroundings of a plant or animal.

Environmental Assessment (EA): A concise public document, prepared in compliance with the National Environmental Policy Act, that briefly discusses the purpose and need for an action, alternatives to such action, and provides sufficient evidence and analysis of impacts to determine whether to prepare an environmental impact statement or finding of no significant impact (40 CFR 1508.9).

Environmental Education: A process designed to develop a citizenry that has the awareness, concern, knowledge, attitudes, skills, motivation, and commitment to work toward solutions of current environmental problems and the prevention of new ones. Environmental education within the National Wildlife Refuge System incorporates materials, activities, programs, and products that address the citizen's course of study goals, the objectives of the refuge/field station, and the mission of the Refuge System.

Environmental Health: Abiotic composition, structure, and functioning of the environment consistent with natural conditions, including the natural abiotic processes that shape the environment (Service Manual 602 FW 1.6).

Environmental Impact Statement (EIS): A detailed written statement required by section 102(2) (C) of the National Environmental Policy Act, analyzing the environmental impacts of a proposed action, adverse effects of the project that cannot be avoided, alternative courses of action, short-term uses of the environment versus the maintenance and enhancement of long-term productivity, and any irreversible and irretrievable commitment of resources (40 CFR 1508.11).

Ephemeral: Pertains to streams, lakes and wetlands that exist temporarily each year.

Evapotranspiration: The collective processes by which water is transferred from the surface of the earth, including from the soil and the surface of water-bodies (through evaporation) and from plants (through transpiration).

Evolutionary Significant Unit (ESU): A sub-population of a species that is defined by substantial reproductive isolation from other conspecific units and represents an important component of the evolutionary legacy of the species.

Exotic and Invading Species. (Noxious Weeds): Plant species designated by Federal or State law as generally possessing one or more of the following characteristics: aggressive or difficult to manage; parasitic; a carrier or host of serious insects or disease; or nonnative, new, or not common to the United States, according to the Federal Noxious Weed Act (PL 93-639), a noxious weed is one that causes disease or has adverse effects on man or his environment and therefore is detrimental to the agriculture and commerce of the Unite States and to the public health.

Fallow: Allowing land that normally is used for crop production to lie idle.

Federal Trust Resources: A trust is something managed by one entity for another who holds the ownership. The Service holds in trust many natural resources for the people of the United States of America as a result of Federal Acts and treaties. Examples are species listed under the Endangered Species Act, migratory birds protected by the Migratory Bird Treaty Act and other international treaties, and native plant or wildlife species found on the Refuge System.

Finding of No Significant Impact (FONSI): A document prepared in compliance with the National Environmental Policy Act, supported by an environmental assessment, that briefly presents why a Federal action will have no significant effect on the human environment and for which an environmental impact statement, therefore, will not be prepared (40 CFR 1508.13).

Floodplain: The relatively flat area along the sides of a river which is naturally subjected to flooding.

Fluvial: Pertaining to a river.

Flyway: A route taken by migratory birds between their breeding grounds and their wintering grounds. Four primary migration routes have been identified for birds breeding in North America: the Pacific, Central, Mississippi, and Atlantic Flyways.

Foraging: The act of feeding; another word for feeding.

Forbs: Herbaceous dicotyledonous plants.

Fragmentation: The process of reducing the size and connectivity of habitat patches.

Friable Soil: Easily crumbled or pulverized soil.

GIS: Geographic Information System. Refers to such computer mapping programs as ArcView, ArcInfo, ERDAS, etc.

Goal: Descriptive, open-ended, and often broad statement of desired future conditions that conveys a purpose but does not define measurable units (Service Manual 620 FW 1.6).

Habitat: Suite of existing environmental conditions required by an organism for survival and reproduction. The place where an organism typically lives.

Habitat Restoration: Management emphasis designed to move ecosystems to desired conditions and processes, and/or to healthy forestlands, rangelands, and aquatic systems.

Hydrograph: The local pattern and magnitude of water flow influenced by season and dam releases.

Hydrologic Regime: The local pattern and magnitude of water flow influenced by season.

Hydrology: The science dealing with the properties, distribution, and circulation of water on and below the earth's surface and in the atmosphere. The distribution and cycling of water in an area.

Impoundment: A body of water created by collection and confinement within a series of levees or dikes thus creating separate management units although not always independent of one another.

Impact: See effect.

Indigenous: Native to the area.

Inner River Zone: The estimated portion of river alluvium that has experienced river channel migration in the recent past and is likely to experience channel movement in the near future; the area includes the 100-year meanderbelt and areas of projected river bank erosion over the next 50 years.

Integrated Pest Management (IPM): Methods of managing undesirable species, such as weeds, including education; prevention, physical or mechanical methods or control; biological control; responsible chemical use; and cultural methods.

Interpretation: Interpretation can be an educational and recreational activity that is aimed at revealing relationships, examining systems, and exploring how the natural world and human activities are interconnected.

Invertebrate: Animals that do not have backbones. Included are insects, spiders, mollusks (clams, snails, etc.), and crustaceans (shrimp, crayfish, etc.).

Irrigation Drainwater: Ideally, subsurface water which flows from irrigated land and generally transports higher concentrations of dissolved salts than the water applied to the land.

Issue: Any unsettled matter that requires a management decision, e.g., an initiative, opportunity, resource management problem, threat to the resources of the unit, conflict in uses, public concern, or the presence of an undesirable resource condition (Service Manual 602 FW 1.6).

Landowner: A person or entity indicated as the owner of property on the various ownership maps maintained by the Office of the County Assessor.

Landscape Ecology: A sub-discipline of ecology, which focuses on spatial relationships and interactions between patterns and processes. This emerging science integrates hydrology, geology, geomorphology, soil science, vegetation science, wildlife science, economics, sociology, law, engineering and land use planning to conserve, enhance, restore and protect the sustainability of ecosystems on the land.

Lease: A legal contract by which water rights are acquired for a specified period of time for a specified rent or compensation.

Levee: An embankment along the river to prevent water from overbank flooding.

Management Alternative: See Alternative.

Management Concern: See Issue.

Management Opportunity: See Issue.

Marsh: A periodically wet or continually flooded area where the water is shallow enough to allow the growth of emergent vegetation such as sedges, rushes, and cattails.

Marsh Habitat: Habitat that is characterized by shallow water and emergent vegetation. Unless otherwise specified, this term does not apply to similar habitat found in rivers, drains, or canals.

Meander: The bend of curve in a river or stream channel. Migration of the river or stream channel.

Meander Scar: The area of land marked by the earlier presence of a meandering river channel; the mark is usually identified by different soil texture and color.

Migration: The seasonal movement from one area to another and back.

Migratory Bird: A bird that seasonally moves between geographic areas. In reference to birds in the Great Basin, a bird that breeds in Great Basin and subsequently moves south of the Great Basin for the winter months. Birds that migrate south of Mexico for the winter are considered Neotropical migrants.

Mission Statement: Succinct statement of the unit's purpose and reason for being.

Mitigation: To avoid or minimize impacts of an action by limiting the degree or magnitude of the action; to rectify the impact by repairing, rehabilitating, or restoring the affected environment; to reduce or eliminate the impact by preservation and maintenance operations during the life of the action.

Model: A mathematical formula that expresses the actions and interactions of the elements of a system in such a manner that the system may be evaluated under any given set of conditions.

Moist-Soil: A process where water is drawn down intentionally or naturally to produce mudflats (i.e., moist soil) that is required for germination of many desirable plants.

Monitoring: Data collected and analyzed periodically for comparing trends in that which is being monitored. Monitoring is necessary to identify, track and analyze results of management actions at the refuge so that future management actions may be adapted to obtain the best benefits to wildlife and habitat (see adaptive management).

Mud Flat: Expanses of mud contiguous to a water body often covered and exposed by tides.

National Environmental Policy Act (NEPA): An act which encourages productive and enjoyable harmony between humans and their environment, to promote efforts that will prevent or eliminate damage to the environment and atmosphere, to stimulate the health and welfare of humans. The act also established the Council on Environmental Quality (CEQ). Requires all agencies, including the Service, to examine the environmental impacts of their actions, incorporate environmental information, and use public participation in the planning and implementation of all actions. Federal agencies must integrate NEPA with other planning requirements, and prepare appropriate NEPA documents to facilitate better environmental decision making (from 40 CFR 1500).

National Wildlife Refuge (Refuge or NWR): A designated area of land or water or an interest in land or water within the system, including national wildlife refuges, wildlife ranges, wildlife management areas, waterfowl production areas, and other areas (except coordination areas) under the Service jurisdiction for the protection and conservation of fish and wildlife. A complete listing of all units of the Refuge System may be found in the

current “Report of Lands Under Control of the U.S. Fish and Wildlife Service” (Service Manual 602 FW 1.6).

National Wildlife Refuge System, Refuge System, or System: Various categories of areas that are administered by the Secretary for the conservation of fish and wildlife, including species that are threatened with extinction; all lands, waters, and interest therein administered by the Secretary as wildlife refuges; areas for the protection and conservation of fish and wildlife that are threatened with extinction; wildlife ranges; game ranges; wildlife management or waterfowl production areas.

National Wildlife Refuge System Mission (mission): "The mission of the System is to administer a national network of lands and waters for the conservation, management, and, where appropriate, restoration of the fish, wildlife, and plant resources and their habitats within the United States for the benefit of present and future generations of Americans" (Service Manual 602 FW 1.6).

Natural Recruitment: Plant establishment through natural processes. In riparian systems these processes include: flooding, sediment deposition, erosion, and seed dispersal from local or upstream plant sources.

Native Species: Species that normally live and thrive in a particular ecosystem.

Neotropical Migratory Birds: Migratory birds that breed in North American and winter in Central and South America.

NEPA: National Environmental Policy Act of 1969.

Niche: An organism's "place," or role, in an ecosystem. This involves many components of the organism's life: where it lives (habitat), what it eats, by whom it is eaten, when it migrates or breeds, etc. All of these factors combine to determine the role of the organism in its ecosystem.

No Action Alternative: An alternative under which existing management would be continued.

Non-Priority Public Uses: Any use other than a compatible wildlife-dependent recreational use.

Notice of Intent (NOI): A notice that an environmental impact statement will be prepared and considered (40 CFR 1508.22). Published in the *Federal Register*.

NWR: National Wildlife Refuge.

Objective: A concise statement of what we want to achieve, how much we want to achieve, when and where we want to achieve it, and who is responsible for the work. Objectives derive from goals and provide the basis for determining strategies, monitoring refuge accomplishments, and evaluating the success of strategies. Make objectives attainable, time-specific, and measurable (Service Manual 602 FW 1.6).

One-hundred-year Floodplain: The relatively flat portion of the river channel that has a one percent chance of being inundated by flood water in any given year.

One-hundred-year Meanderbelt: The area of land over which a river channel has historically migrated over a 100-year period.

Operation and Maintenance (O&M) Costs: Charges paid by water users for delivery of water in the Newlands Project that are paid to the Newlands Project operator for reasonable and customary operation and maintenance of the delivery system.

Opportunities: Potential solutions to issues.

Ordinary High Water Mark: That line on the shore established by the fluctuations of water and indicated by physical characteristics such as clear, natural line impressed on the bank, shelving, changes in the character of soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas.

Outreach: Outreach is two-way communication between the USFWS and the public to establish mutual understanding, promote involvement, and influence attitudes and actions, with goal of improving joint stewardship of our natural resources.

Overbank Flooding: River flows that exceed the boundaries of the existing river channel and flood the adjacent riparian areas and bottomlands.

Oxbow Lake: A horseshoe-shaped lake formed in an abandoned meander bend of a river.

Passerine Bird: A songbird or other perching bird that is in the order Passeriformes. Blackbirds, crows, warblers, sparrows, and wrens for example.

Perennial: In reference to a body of water, one that contains water year-to-year and that rarely goes dry.

Peak Flow: The maximum discharge of a stream during a specified period of time.

Permeability: The property or capacity of porous rock, sediment, or soil to transmit water.

Phenology: Life cycle of particular species.

Phreatophytes: Plants whose roots penetrate to the water table.

Physiographic: Physical geography of a particular region of the U.S.

PILT: Payment-in-Lieu-of-Taxes.

Planning Area: The area upon which the planning effort will focus. A planning area may include lands outside existing planning unit boundaries currently studied for inclusion in the Refuge System and/or partnership planning efforts. It also may include watersheds or ecosystems outside of our jurisdiction that affect the planning unit. At a minimum, the planning area includes all lands within the authorized boundary of the refuge (Service Manual 602 FW 1.6).

Planning Team: A team or group of persons working together to prepare a document. Planning teams are interdisciplinary in membership and function. Teams generally consist of a planning team leader, refuge manager and staff biologists, a state natural resource agency representative, and other appropriate program specialists (e.g., social scientist, ecologist, recreation specialist). We also will ask other Federal and Tribal natural resource agencies to provide team members, as appropriate. The planning team prepares the CCP and appropriate NEPA documentation (Service Manual 602 FW 1.6).

Planning Team Leader: The planning team leader typically is a professional planner or natural resource specialist knowledgeable of the requirements of NEPA and who has planning experience. The planning team leader manages the refuge planning process and ensures compliance with applicable regulatory and policy requirements (Service Manual 602 FW 1.6).

Planning Unit: A single refuge, an ecologically or administratively related refuge complex, or distinct unit of a refuge. The planning unit also may include lands currently outside refuge boundaries (Service Manual 602 FW 1.6).

Plant Community: An assemblage of plant species of a particular composition. The term can also be used in reference to a group of one or more populations of plants in a particular area at a particular point in time; the plant community of an area can change over time due to disturbance (e.g., fire) and succession.

Pollutant: Any introduced gas, liquid, or solid that makes a resource unfit for a specific purpose.

Population: All the members of a single species coexisting in one ecosystem at a given time.

Preferred Alternative: This is the alternative determined (by the decision maker) to best achieve the Refuge purpose, vision, and goals; contributes to the Refuge System mission, addresses the significant issues; and is consistent with principles of sound fish and wildlife management. The Service's selected alternative at the Draft CCP stage.

Prescribed Fire: The skillful application of fire to natural fuels under conditions of weather, fuel moisture, soil moisture, etc., that allows confinement of the fire to a predetermined area and produces the intensity of heat and rate of spread to accomplish planned benefits to one or more objectives of habitat management, wildlife management, or hazard reduction.

Prime Farmland: Farmland in an area or region that is considered to be the most ideal farmland based on several criteria; usually soil types and land productivity of the land are two of the most important criteria.

Priority Public Uses: Compatible wildlife-dependent recreation uses (hunting, fishing, wildlife observation and photography, and environmental education and interpretation).

Proposed Action: The Service's proposed action for Comprehensive Conservation Plans is to prepare and implement the CCP.

Public: Individuals, organizations, and groups; officials of Federal, State, and local government agencies; Indian tribes; and foreign nations. It may include anyone outside the core planning team. It includes those who may or may not have indicated an interest in Service issues and those who do or do not realize that Service decisions may affect them.

Public Involvement: A process that offers impacted and interested individuals and organizations an opportunity to become informed about, and to express their opinions on Service actions and policies. In the process, these views are studied thoroughly and thoughtful consideration of public views is given in shaping decisions for refuge management.

Public Involvement Plan: Broad long-term guidance for involving the public in the comprehensive planning process.

Public Scoping: See public involvement.

Purposes of the Refuge: "The purposes specified in or derived from the law, proclamation, executive order, agreement, public land order, donation document, or administrative memorandum establishing, authorizing, or expanding a refuge, refuge unit, or refuge subunit." For refuges that encompass congressionally designated wilderness, the purposes of the Wilderness Act are additional purposes of the refuge (Service Manual 602 FW 1.6).

Purveyor: A private land owner or association that controls water rights for the ability to use the water.

Raptor: A bird of prey, such as a hawk, eagle, or owl.

Record of Decision (ROD): A concise public record of decision prepared by the Federal agency, pursuant to NEPA, that contains a statement of the decision, identification of all alternatives considered, identification of the environmentally preferable alternative, a statement as to whether all practical means to avoid or minimize environmental harm from the alternative selected have been adopted (and if not, why they were not), and a summary of monitoring and enforcement where applicable for any mitigation (40 CFR 1505.2).

Recreation Day: A standard unit of use consisting of a visit by one individual to a recreation area for recreation purposes during any reasonable portion or all of a 24-hour period.

Recruitment: The annual increase in a population as determined by the proportion of surviving offspring produced during a specific period (usually expressed per year).

Refuge: Short of National Wildlife Refuge.

Refuge Goal: See goal.

Refuge Operating Needs System (RONS): The Refuge Operating Needs System is a national database that contains the unfunded operational needs of each refuge. We include projects required to implement approved plans and meet goals, objectives, and legal mandates (Service Manual 602 FW 1.6).

Refuge Purposes: See purposes of the Refuge.

Refuge Revenue Sharing Program or RRSP: Proves payments to counties in lieu of taxes using revenues derived from the sale of products from refuges.

Refuge Use: Any activity on a refuge, except administrative or law enforcement activity carried out by or under the direction of an authorized Service employee.

Restoration: The return of an ecosystem to an approximation of its former unimpaired condition.

Restoration, Cultural Restoration (also Active Restoration): Restoration that uses horticultural and agricultural techniques for plant establishment. Common practices of cultural restoration includes: propagating seeds, acorns and cuttings in a greenhouse; planting these propagules in rows so that irrigations systems may be installed and maintained and weeds can be sprayed and mowed. Specific human actions taken to reestablish the natural processes, vegetation and resultant habitat of an ecosystem.

Restoration, Passive Restoration: Restoration that relies on natural processes for plant establishment. These processes include: flooding, sediment deposition, erosion, and seed dispersal from local or upstream plant sources. Allowing an ecosystem to restore its natural processes, vegetation and resultant habitat without human actions.

Riparian Area: Riparian areas are transitional between terrestrial and aquatic ecosystems and are distinguished by gradients in biophysical conditions, ecological processes, and biota. They are areas through which surface and subsurface hydrology connect waterbodies with their adjacent uplands. They include those portions of terrestrial ecosystems that significantly influence exchanges of energy and matter with aquatic ecosystems (i.e., a zone of influence). Riparian areas are adjacent to perennial, intermittent, and ephemeral streams, lakes and estuarine-marine shorelines.

Riparian Habitat: Gravel bars, sand dunes, non-vegetated riverbanks, herbaceous, scrub and forested vegetation, which provides habitat for plants, macro-invertebrates, fish and wildlife.

Riverine: Pertaining to rivers and floodplains.

RMIS: Refuge Management Information System database

Secretary: Short of the Secretary of the Interior.

Sediment: Any material, carried in suspension by water, which ultimately settles to the bottom of water courses. Sediments may also settle on stream banks or flood plains during high water flow.

Service or USFWS: Short for U.S. Fish and Wildlife Service.

Shorebirds: Long-legged birds, also known as waders, belonging to the Order Charadriiformes that use shallow wetlands and mud flats for foraging and nesting.

Slough: A naturally occurring side or overflow channel that holds water.

Soil Erosion: The wearing away of the land's surface by water, wind, ice, or other physical process.

Sound Professional Judgment: A finding, determination, or decision that is consistent with principles of sound fish and wildlife management and administration, available science and resources, and adherence to the requirements of the Refuge Administration Act of 1966 (16 U.S.C. 668dd-668ee), and other applicable laws. Included in the finding, determination, or decision is a refuge manager's field experience and knowledge of the particular refuge's resources (Service Manual 603 FW 2.6).

Spatial Distribution: The pattern of frequency of a specific habitat type over a larger area.

Species: A distinctive kind of plant or animal having distinguishable characteristics, and that can interbreed and produce young. A category of biological classification.

Species Composition: A group of species that inhabit a specific habitat type in its healthy state. To enhance species composition is to ensure that all or as many species as possible inhabit the appropriate habitat by improving the quality of that habitat.

Step-Down Management Plan: A plan that provides specific guidance on management subjects (e.g., habitat, public use, fire, safety) or groups of related subjects. It describes strategies and implementation schedules for meeting CCP goals and objectives (Service Manual 602 FW 1.6).

Strategy: A specific action, tool, or technique or combination of actions, tools, and techniques used to meet unit objectives (Service Manual 602 FW 1.6).

Submergent Vegetation: Plants that grows completely submerged except when flowering.

Succession: The replacement of one plant community by another over time.

Surface Water: A body of water that has its upper surface exposed to the atmosphere.

System or Refuge System: National Wildlife Refuge System.

Terminus: In reference to a stream or river, its end point; where it flows into a lake or other basin.

Threatened Species: Any species that is likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range, and one that has been designated as a threatened species in the *Federal Register* by the Secretary of the Interior. Threatened species are afforded protection under the Endangered Species Act of 1973.

Tiering: The coverage of general matters in broader environmental impact statements with subsequent narrower statements of environmental analysis, incorporating by reference, the general discussions and concentrating on specific issues (40 CFR 1508.28).

Total Dissolved-Solids (TDS): The total concentration of solids (or salts) dissolved in water; specific conductance is a surrogate measure of dissolved solids. More specifically, total dissolved-solids is an aggregate of carbonates, bicarbonates, chlorides, sulfates, phosphates, nitrates, etc. of calcium, magnesium, manganese, sodium, potassium, and other cations that form salts.

Trace Elements: Metallic elements (with atomic number >21) generally occurring in trace amounts in water, including iron, manganese, copper, chromium, arsenic, mercury, and vanadium.

Transient Species: Animals that migrate through a locality without breeding or overwintering.

Trust Species: Species for which the U.S. Fish and Wildlife Service has primary responsibility, including, most federally listed threatened and endangered species, anadromous fishes once they enter inland U.S. waterways, migratory birds, and certain marine mammals.

Turbidity: Cloudiness of a water body caused by suspended silt, mud, pollutants, or algae.

Understory: Shrubs and herbaceous plants that typically grow beneath larger trees in a woodland.

Upland: An area where water normally does not collect and where water does not flow on an extended basis. Uplands are non-wetland areas.

USFWS or Service: Short for U.S. Fish and Wildlife Service.

U.S. Fish and Wildlife Service Mission: Our mission is working with others to conserve, protect, and enhance fish, wildlife, and plants and their habitats for the continuing benefit of the American people (Service Manual 602 FW 1.6).

Vegetation: The composition plant species, their frequency of occurrence, density, and age classes at a specified scale.

Vegetation Community: See plant community.

Vegetation Type or Habitat Type: A land classification system based upon the concept of distinct plant associations.

Vernal Pool: Seasonally flooded depressions on soils with an impermeable layer such as a hardpan, claypan, volcanic basalt, or saturated alkali clays. The impermeable layer allows the pools to retain water much longer then the surrounding uplands; nonetheless, the pools are shallow enough to dry up each season. Vernal pools often fill and empty several times during the rainy season. Only plants and animals that are adapted to this cycle of wetting and drying can survive in vernal pools over time.

Vertebrate: An animal having a segmented backbone or vertebral column; includes mammals, birds, fish, amphibians, and reptiles.

Vision Statement: A concise statement of what the planning unit should be, or what we hope to do, based primarily upon the Refuge System mission and specific refuge purposes, and other mandates. We will tie the vision statement for the refuge to the mission of the Refuge System; the purpose(s) of the refuge; the maintenance or restoration of the ecological integrity of each refuge and the Refuge System; and other mandates (Service Manual 602 FW 1.6).

Water Year: That period of time between October 1 of one calendar year and September 30 of the next calendar year. Traditionally, hydrologic data (i.e., stream flows, precipitation, etc.) was summarized or totaled for this period of time.

Waterfowl: A group of birds that include ducks, geese, and swans (belonging to the order Anseriformes).

Water-righted Acreage: The land base for which there are water rights.

Water Rights: A grant, permit, decree, appropriation, or claim to the use of water for beneficial purposes, and subject to other rights of earlier date of use, called priority, or prior appropriation.

Watershed: The entire land area that collects and drains water into a river or river system.

Wetland: Land that is transitional between upland (terrestrial) and aquatic systems (greater than about 6-feet deep) where the water table is usually at or near the surface or the land is covered by shallow water... wetlands must have one or more of the following three attributes: (1) at least periodically, the land supports predominantly hydrophytes (plants that require wet conditions); (2) the substrate is predominantly undrained hydric soil; and (3) the substrate is nonsoil and is saturated with water or covered by shallow water at some time during the growing season of each year (Cowardin and others, 1979).

Wetland Habitat: Habitat provided by shallow or deep water (but less than 6-feet deep), with or without emergent and aquatic vegetation in wetlands. Wetland habitat only exists when and where a wetland or portion of a wetland is covered with water (visible surface water). Consequently, the size and shape of "wetland habitat" will fluctuate from season-to-season and year-to-year while the size and shape of the "wetland" within which wetland habitat occurs will remain constant from season to season and from year to year. Wetlands only provide habitat for waterfowl, shorebirds, muskrats, aquatic insects, and other wetland-dependent wildlife when they contain surface water (i.e., when they provide wetland habitat).

Wildfire: A free-burning fire requiring a suppression response; all fire other than prescribed fire that occurs on wildlands (Service Manual 621 FW 1.7).

Wildland fire: A free burning fire requiring a suppression response; all fire other than prescribed fire that occurs on wildlands. Often referred to a wildfire.

Wildlife: All nondomesticated animal life; included are vertebrates and invertebrates.

Wildlife Corridor: A landscape feature that facilitates the biologically effective transport of animals between larger patches of habitat dedicated to conservation functions. Such corridors may facilitate several kinds of traffic, including frequent foraging movement, seasonal migration, or the once in a lifetime dispersal of juvenile animals. These are transition habitats and need not contain all the habitat elements required for long-term survival of reproduction of its migrants.

Wildlife-Dependent Recreational Use: "A use of a refuge involving hunting, fishing, wildlife observation and photography, or environmental education and interpretation." These are the six priority public uses of the Refuge System as established in the National Wildlife Refuge System Administration Act, as amended. Wildlife-dependent recreational uses, other than the six priority public uses, are those that depend on the presence of wildlife. We also will consider these other uses in the preparation of refuge CCPs; however, the six priority public uses always will take precedence (Service Manual 602 FW 1.6).