

CHAPTER SIX

PROPERTIES

This chapter addresses procedures for “method-defined parameters”, where the analytical result is wholly dependant on the process used to make the measurement. Changes to the specific methods may change the end result and incorrectly identify a waste as nonhazardous. Therefore, when the measurement of such method-defined parameters is required by regulation, those methods are **not** subject to the flexibility afforded in other SW-846 methods (such as described in the Disclaimer and Chapter Two of this manual).

The following methods are found in Chapter Six:

Method 1030:	Ignitability of Solids
Method 1040:	Test Method for Oxidizing Solids
Method 1050:	Test Methods to Determine Substances Likely to Spontaneously Combust
Method 1120:	Dermal Corrosion
Method 1312:	Synthetic Precipitation Leaching Procedure
Method 1320:	Multiple Extraction Procedure
Method 1330A:	Extraction Procedure for Oily Wastes
Method 9041A:	pH Paper Method
Method 9045C:	Soil and Waste pH
Method 9050A:	Specific Conductance
Method 9080:	Cation-Exchange Capacity of Soils (Ammonium Acetate)
Method 9081:	Cation-Exchange Capacity of Soils (Sodium Acetate)
Method 9090A:	Compatibility Test for Wastes and Membrane Liners
Method 9095A:	Paint Filter Liquids Test
Method 9096:	Liquid Release Test (LRT) Procedure
	Appendix A: Liquid Release Test Pre-Test
Method 9100:	Saturated Hydraulic Conductivity, Saturated Leachate Conductivity, and Intrinsic Permeability
Method 9310:	Gross Alpha and Gross Beta
Method 9315:	Alpha-Emitting Radium Isotopes