


United States
Environmental Protection
Agency

Office of Water
(4607)

EPA 815-R-99-014
April 1999



Alternative Disinfectants and Oxidants Guidance Manual



DISCLAIMER

This manual provides accurate technical data and engineering information on disinfectants and oxidants that are not as widely used as chlorine. The U.S. Environmental Protection Agency encourages drinking water treatment utilities and drinking water primacy agencies to examine all aspects of their current disinfection practices to improve the quality of their finished water without reducing microbial protection.

This document is EPA guidance only. It does not establish or affect legal rights or obligation. EPA decisions in any particular case will be made applying the laws and regulation on the basis of specific facts when permits are issued or regulations promulgated.

Mention of trade names or commercial products does not constitute an EPA endorsement or recommendation for use.

ACKNOWLEDGMENTS

The Environmental Protection Agency gratefully acknowledges the assistance of the members of the Microbial and Disinfection Byproducts Federal Advisory Committee and Technical Work Group for their comments and suggestions to improve this document. EPA also wishes to thank the representatives of drinking water utilities, researchers, and the American Water Works Association for their review and comment.

CONTENTS

1. INTRODUCTION.....	1-1
1.1 OBJECTIVE OF THIS MANUAL	1-1
1.2 BACKGROUND	1-2
1.3 REGULATORY CONTEXT	1-3
1.3.1 Disinfection Profiling and Benchmarking	1-7
1.4 USE OF DISINFECTANTS AS CHEMICAL OXIDANTS.....	1-8
1.5 HOW CHLORINE IS ADDRESSED IN THIS GUIDANCE MANUAL.....	1-8
1.6 A SUMMARY OF ALTERNATIVE DISINFECTANT PROPERTIES.....	1-9
1.7 SELECTING A DISINFECTION STRATEGY	1-11
1.7.1 Disinfection Strategy Evaluation	1-12
1.7.2 Summary.....	1-17
1.8 REFERENCES.....	1-18
2. DISINFECTANT USE IN WATER TREATMENT.....	2-1
2.1 NEED FOR DISINFECTION IN WATER TREATMENT	2-1
2.1.1 Pathogens of Primary Concern	2-2
2.1.2 Recent Waterborne Outbreaks	2-8
2.1.3 Mechanism of Pathogen Inactivation	2-9
2.2 OTHER USES OF DISINFECTANTS IN WATER TREATMENT	2-10
2.2.1 Minimization of DBP Formation	2-10
2.2.2 Control of Nuisance Asiatic Clams and Zebra Mussels	2-11
2.2.3 Oxidation of Iron and Manganese.....	2-13
2.2.4 Prevention of Regrowth in the Distribution System and Maintenance of Biological Stability.....	2-14
2.2.5 Removal of Taste and Odors Through Chemical Oxidation.....	2-15
2.2.6 Improvement of Coagulation and Filtration Efficiency.....	2-15
2.2.7 Prevention of Algal Growth in Sedimentation Basins and Filters	2-16
2.2.8 Removal of Color.....	2-16
2.3 DISINFECTION BYPRODUCTS AND DISINFECTION RESIDUALS	2-16
2.3.1 Types of DBPs and Disinfection Residuals.....	2-16
2.3.2 Disinfection Byproduct Formation.....	2-19
2.3.3 DBP Control Strategies	2-23
2.3.4 CT Factor.....	2-25
2.4 PATHOGEN INACTIVATION VERSUS DBP FORMATION.....	2-26
2.5 DISINFECTANT RESIDUAL REGULATORY REQUIREMENTS	2-27
2.6 SUMMARY OF CURRENT NATIONAL DISINFECTION PRACTICES	2-28
2.7 CHLORINE.....	2-30
2.7.1 Chlorine Chemistry	2-31
2.7.2 Chlorine Generation	2-32
2.7.3 Primary Uses and Points of Application of Chlorine	2-33
2.7.4 Pathogen Inactivation and Disinfection Efficacy	2-35
2.7.5 DBP Formation and Control	2-39
2.7.6 Operational Considerations	2-41
2.8 SUMMARY	2-42
2.8.1 Advantages and Disadvantages of Chlorine Use	2-42
2.8.2 Summary Table.....	2-44
2.8.3 Reference for Additional Information on Chlorine	2-44

2.9	REFERENCES.....	2-45
3.	OZONE	3-1
3.1	OZONE CHEMISTRY	3-1
3.2	OZONE GENERATION	3-4
3.2.1	Ozone Production.....	3-4
3.2.2	System Components.....	3-5
3.2.3	Operation and Maintenance.....	3-15
3.3	PRIMARY USES AND POINTS OF APPLICATION OF OZONE	3-16
3.3.1	Primary Uses of Ozone.....	3-16
3.3.2	Points of Application.....	3-18
3.3.3	Impact on Other Treatment Processes.....	3-19
3.3.4	Biologically Active Filtration	3-19
3.3.5	Pathogen Inactivation and Disinfection Efficacy	3-21
3.3.6	Inactivation Mechanisms.....	3-22
3.3.7	Disinfection Parameters.....	3-22
3.3.8	Inactivation of Microorganisms	3-24
3.4	OZONATION DISINFECTION BYPRODUCTS	3-27
3.4.1	Ozone Byproduct Control.....	3-30
3.5	STATUS OF ANALYTICAL METHODS.....	3-31
3.5.1	Monitoring of Gas Phase Ozone	3-31
3.5.2	Monitoring of Liquid Phase Residual Ozone.....	3-35
3.5.3	Bromate Monitoring for Systems Using Ozone.....	3-37
3.6	OPERATIONAL CONSIDERATIONS	3-38
3.6.1	Process Considerations.....	3-38
3.6.2	Space Requirements	3-38
3.6.3	Material Selection	3-39
3.6.4	Ozone System Maintenance.....	3-39
3.6.5	Ozone Safety.....	3-39
3.7	SUMMARY	3-41
3.7.1	Advantages and Disadvantages of Ozone Use.....	3-41
3.7.2	Summary Table.....	3-42
3.8	REFERENCES.....	3-43
4.	CHLORINE DIOXIDE.....	4-1
4.1	CHLORINE DIOXIDE CHEMISTRY	4-1
4.1.1	Oxidation Potential.....	4-1
4.2	GENERATION	4-2
4.2.1	Introduction	4-2
4.2.2	Chlorine Dioxide Purity	4-3
4.2.3	Methods of Generating Chlorine Dioxide	4-4
4.2.4	Generator Design	4-9
4.2.5	Chemical Feed Systems.....	4-11
4.2.6	Generator Power Requirements	4-13
4.3	PRIMARY USES AND POINTS OF APPLICATION FOR CHLORINE DIOXIDE.....	4-13
4.3.1	Disinfection	4-13
4.3.2	Taste and Odor Control	4-14
4.3.3	Oxidation of Iron and Manganese	4-14
4.4	PATHOGEN INACTIVATION AND DISINFECTION EFFICACY	4-15
4.4.1	Inactivation Mechanisms.....	4-15
4.4.2	Environmental Effects.....	4-15

4.5	4.4.3 Disinfection Efficacy.....	4-17
	CHLORINE DIOXIDE DISINFECTION BYPRODUCTS.....	4-22
	4.5.1 Production of Chlorite and Chlorate	4-22
	4.5.2 Organic DBPs Produced by Chlorine Dioxide.....	4-25
	4.5.3 Chlorine Dioxide DBP Control Strategies.....	4-25
4.6	STATUS OF ANALYTICAL METHODS.....	4-26
	4.6.1 Chlorine Dioxide and Chlorite Analytical Methods.....	4-27
	4.6.2 Chlorine Dioxide Monitoring for Systems Using Chlorine Dioxide.....	4-27
	4.6.3 Chlorite Monitoring for Systems Using Chlorine Dioxide.....	4-28
4.7	OPERATIONAL CONSIDERATIONS	4-28
	4.7.1 Process Considerations.....	4-30
	4.7.2 Generator Operation.....	4-31
	4.7.3 Feed Chemicals.....	4-31
4.8	SUMMARY	4-33
	4.8.1 Advantages and Disadvantages of Chlorine Dioxide Use	4-33
	4.8.2 Summary Table.....	4-34
4.9	REFERENCES.....	4-35
5.	POTASSIUM PERMANGANATE	5-1
5.1	POTASSIUM PERMANGANATE CHEMISTRY	5-1
	5.1.1 Oxidation Potential.....	5-1
	5.1.2 Ability to Form a Residual	5-1
5.2	GENERATION	5-1
5.3	PRIMARY USES AND POINTS OF APPLICATION	5-2
	5.3.1 Primary Uses.....	5-2
	5.3.2 Points of Application.....	5-4
5.4	PATHOGEN INACTIVATION AND DISINFECTION EFFICACY	5-4
	5.4.1 Inactivation Mechanisms.....	5-4
	5.4.2 Environmental Effects.....	5-5
	5.4.3 Use as a Disinfectant	5-5
5.5	DISINFECTION BYPRODUCT FORMATION	5-7
	5.5.1 Chapel-Hill and Durham, North Carolina Water Treatment Plants	5-7
	5.5.2 American Water Works Association Research Foundation TTHM Study	5-9
5.6	STATUS OF ANALYTICAL METHODS.....	5-9
5.7	OPERATIONAL CONSIDERATIONS	5-9
5.8	SUMMARY	5-10
	5.8.1 Advantages and Disadvantages of Potassium Permanganate Use	5-10
	5.8.2 Summary Table.....	5-11
5.9	REFERENCES.....	5-12
6.	CHLORAMINES	6-1
6.1	CHLORAMINES CHEMISTRY	6-1
	6.1.1 Equilibrium, Kinetic, and Physicochemical Properties.....	6-1
6.2	GENERATION	6-3
	6.2.1 Chlorine Feed Facilities.....	6-4
	6.2.2 Ammonia Feed Facilities.....	6-5
6.3	PRIMARY USES AND POINTS OF APPLICATION	6-10
	6.3.1 Primary Uses.....	6-10
	6.3.2 Points of Application.....	6-11
6.4	PATHOGEN INACTIVATION AND DISINFECTION EFFICACY	6-12
	6.4.1 Inactivation Mechanisms.....	6-12

6.4.2	Environmental Effects	6-12
6.4.3	Disinfection Efficacy	6-13
6.5	DBP FORMATION.....	6-15
6.6	STATUS OF ANALYTICAL METHODS.....	6-16
6.6.1	Monitoring of Chloramines	6-16
6.6.2	Disinfectant Interferences.....	6-17
6.6.3	Chloramine Monitoring for Systems Using Chloramines	6-19
6.7	OPERATIONAL CONSIDERATIONS	6-20
6.7.1	Conversion to Chloramination from Chlorination	6-20
6.7.2	Potential Operational Impacts from Chloramination Disinfection.....	6-22
6.7.3	Special Considerations for Chloramination Facilities	6-25
6.8	SUMMARY	6-27
6.8.1	Advantages and Disadvantages of Chloramine Use.....	6-27
6.8.2	Summary Table.....	6-28
6.9	REFERENCES.....	6-29
7.	PEROXONE (OZONE/HYDROGEN PEROXIDE).....	7-1
7.1	PEROXONE CHEMISTRY	7-1
7.1.1	Oxidation Reactions	7-2
7.1.2	Reactions with Other Water Quality Parameters	7-3
7.1.3	Comparison between Ozone and Peroxone	7-3
7.2	GENERATION	7-4
7.3	PRIMARY USES AND POINTS OF APPLICATION	7-5
7.3.1	Primary Uses.....	7-5
7.3.2	Points of Application.....	7-6
7.4	PATHOGEN INACTIVATION	7-6
7.4.1	Inactivation Mechanism	7-6
7.4.2	Environmental Effects	7-7
7.4.3	Disinfection Efficacy and Pathogen Inactivation.....	7-8
7.5	DISINFECTION BYPRODUCTS	7-9
7.6	STATUS OF ANALYTICAL METHODS.....	7-10
7.6.1	Monitoring of Hydrogen Peroxide	7-10
7.7	OPERATIONAL CONSIDERATIONS	7-13
7.7.1	Process Considerations.....	7-13
7.7.2	Space Requirements	7-13
7.7.3	Materials	7-13
7.8	SUMMARY	7-14
7.8.1	Advantages and Disadvantages of Peroxone Use (Ozone/Hydrogen Peroxide)	7-14
7.8.2	Summary Table.....	7-15
7.9	REFERENCES.....	7-16
8.	ULTRAVIOLET RADIATION.....	8-1
8.1	UV CHEMISTRY (PHOTOCHEMICAL)	8-1
8.1.1	UV Radiation	8-1
8.1.2	UV Disinfection Reactions	8-2
8.1.3	Process Variables	8-2
8.2	GENERATION	8-3
8.2.1	UV Lamps	8-4
8.2.2	Ballasts	8-4
8.2.3	UV Reactor Design	8-5
8.3	PRIMARY USES AND POINTS OF APPLICATION	8-8

8.4	PATHOGEN INACTIVATION AND DISINFECTION EFFICIENCY	8-8
8.4.1	Inactivation Mechanism	8-8
8.4.2	Environmental Effects.....	8-10
8.4.3	Disinfection Efficacy.....	8-12
8.5	DISINFECTION BYPRODUCTS OF UV RADIATION	8-15
8.5.1	Ground Water	8-15
8.5.2	Surface Water	8-16
8.5.3	DBP Formation with Chlorination and Chloramination following UV Radiation	8-16
8.6	STATUS OF ANALYTICAL METHODS.....	8-17
8.6.1	Monitoring of Generated Ultraviolet Radiation.....	8-17
8.6.2	Disinfectant Interferences.....	8-18
8.7	OPERATIONAL CONSIDERATIONS	8-18
8.7.1	Equipment Operation	8-19
8.7.2	Equipment Maintenance.....	8-19
8.7.3	Standby Power	8-20
8.8	SUMMARY TABLE.....	8-21
8.9	REFERENCES.....	8-21
9.	COMBINED DISINFECTANTS.....	9-1
9.1	PRIMARY AND SECONDARY DISINFECTANTS	9-1
9.1.1	DBP Formation with Various Primary and Secondary Disinfectant Combinations	9-3
9.1.2	Impact of Modifying Disinfection Practices.....	9-6
9.1.3	Chlorine/Chlorine to Chlorine/Chloramine	9-8
9.1.4	Chlorine/Chlorine to Ozone/Chlorine	9-8
9.1.5	Chlorine/Chlorine to Ozone/Chloramine	9-9
9.1.6	Chlorine/Chlorine to Chlorine Dioxide/Chlorine	9-9
9.1.7	Chlorine/Chlorine to Chlorine Dioxide/Chlorine Dioxide.....	9-10
9.1.8	Chlorine/Chloramine to Ozone/Chloramine	9-10
9.1.9	Chlorine/Chloramine to Chlorine Dioxide/Chloramine	9-10
9.1.10	Ozone/Chlorine to Ozone/Chloramine	9-11
9.1.11	Summary.....	9-11
9.2	PATHOGEN INACTIVATION WITH INTERACTIVE DISINFECTANTS	9-11
9.2.1	Inactivation Mechanism	9-12
9.2.2	Environmental Effects	9-13
9.2.3	Pathogen Inactivation Efficiency Using Interactive Disinfectants.....	9-16
9.2.4	Summary: Pathogen Inactivation with Interactive Disinfectants	9-23
9.3	ANALYTICAL METHODS.....	9-23
9.3.1	Ozone	9-23
9.3.2	Chlorine Dioxide.....	9-24
9.3.3	Potassium Permanganate	9-24
9.3.4	Chloramine	9-24
9.3.5	Hydrogen Peroxide.....	9-24
9.3.6	UV Radiation	9-24
9.3.7	Summary of Analytical Methods	9-24
9.4	SUMMARY	9-25
9.5	REFERENCES.....	9-26
APPENDIX A. SUMMARY OF DISINFECTANT USAGE IN THE UNITED STATES		A-1
APPENDIX B. SELECTED COSTS OF ALTERNATIVE DISINFECTION SYSTEMS.....		B-1

FIGURES

Figure 1-1. Flow Diagram to Evaluate Current Disinfection Practices	1-14
Figure 1-2. Flow Diagram to Narrow Selection of a New Primary Disinfectant	1-16
Figure 1-3. Flow Diagram to Narrow Selection of a New Secondary Disinfectant	1-17
Figure 2-1. Free Chlorine <i>Giardia</i> and Virus CT Requirements	2-38
Figure 2-2. CT Values for Inactivation of <i>Giardia</i> Cysts by Free Chlorine at 10°C (at Cl ₂ dose of 3.0 mg/L).....	2-38
Figure 2-3. CT Values for Inactivation of <i>Giardia</i> Cysts by Free Chlorine at pH 7.0 (at Cl ₂ dose of 3.0 mg/L).....	2-39
Figure 3-1. Oxidation Reactions of Compounds (Substrate) During Ozonation of Water	3-2
Figure 3-2. Reaction of Ozone and Bromide Ion Can Produce Bromate Ion and Brominated Organics	3-3
Figure 3-3. Basic Ozone Generator	3-4
Figure 3-5. Schematic of an Air Preparation System.....	3-7
Figure 3-6. Cylindrical Electrode Schematic	3-9
Figure 3-7. Ozone Bubble Contactor	3-11
Figure 3-8. Sidestream Ozone Injection System	3-12
Figure 3-9. Turbine Mixer Ozone Contactor.....	3-14
Figure 3-10. CT Values for Inactivation of Viruses by Ozone (pH 6 to 9).....	3-26
Figure 3-11. Principal Reactions Producing Ozone Byproducts	3-28
Figure 3-12. Main Pathways of Bromate Ion Formation when Ozone Reacts with Bromide Ion.....	3-30
Figure 4-1. Conventional Chlorine Dioxide Generator When Using Chlorine-Chlorite Method	4-7
Figure 4-2. Chlorine Dioxide Generation Using Recycled Aqueous Chlorine Method	4-8
Figure 4-3. Effect of Temperature on <i>N. Gruberi</i> Cyst Inactivation at pH 7	4-17
Figure 4-4. Comparison of Germicidal Efficiency of Chlorine Dioxide and Chlorine.....	4-19
Figure 4-5. CT Values for Inactivation of <i>Giardia</i> Cysts by Chlorine Dioxide	4-21
Figure 4-6. CT Values for Inactivation of Viruses by Chlorine Dioxide	4-22
Figure 4-7. <i>C. parvum</i> Inactivation by Chlorine Dioxide at 20°C.....	4-23
Figure 4-8. <i>C. parvum</i> Inactivation by Chlorine Dioxide at 10°C.....	4-23
Figure 6-1. Theoretical Breakpoint Curve	6-2
Figure 6-2. Distribution Diagram for Chloramine Species with pH.....	6-3
Figure 6-3. Gaseous Chlorine Feed System	6-5
Figure 6-4. Hypochlorite Feed System	6-6
Figure 6-5. Anhydrous Ammonia Direct Feed System.....	6-7
Figure 6-6. Anhydrous Ammonia Solution Feed System	6-8
Figure 6-7. Aqua Ammonia Feed System.....	6-9
Figure 8-1. Closed Vessel Ultraviolet Reactor.....	8-6
Figure 8-2. Germicidal Inactivation by UV Radiation.....	8-9
Figure 8-3. UV Dose Required for Inactivation of MS-2 Coliphage.....	8-11
Figure 8-4. Particle Interactions that Impact UV Effectiveness	8-12
Figure 8-5. UV Doses Required to Achieve Inactivation of <i>Giardia lamblia</i> Cysts Obtained from Two Different Sources	8-14
Figure 8-6. Impact of Growth Stage of <i>A. rhysodes</i> on the Required UV Dosage to Achieve Inactivation.....	8-14
Figure 9-1. Inactivation of <i>C. parvum</i> Attributed to Synergistic Effects. Application of Ozone Followed by Chlorine Dioxide	9-14
Figure 9-2. Inactivation of <i>C. parvum</i> Attributed to Synergistic Effects. Application of	

Chlorine Dioxide Followed by Free Chlorine	9-14
Figure 9-3. Inactivation of <i>C. parvum</i> Attributed to Synergistic Effects. Application of Chlorine Dioxide Followed by Monochloramine	9-15
Figure 9-4. Inactivation of <i>E. coli</i> Using Free Chlorine and Monochloramine	9-18

TABLES

Table 1-1. Key Dates for Regulatory Activities	1-4
Table 1-2. Primary Drinking Water Regulations Related to Microbiological Contaminants.....	1-6
Table 1-3. Primary Drinking Water Regulations Related to Disinfection Byproducts.....	1-6
Table 1-4. Primary Drinking Water Regulations Related to Residual Disinfectants.....	1-7
Table 1-5. Log Removal/Inactivation through Filtration and Disinfection Required Under the SWTR	1-7
Table 1-6. Summary of Disinfectant Properties (Based on Typical Disinfectant Application).....	1-11
Table 2-1. Waterborne Diseases from Bacteria.....	2-3
Table 2-2. Waterborne Diseases from Human Enteric Viruses.....	2-4
Table 2-3. Waterborne Diseases from Parasites	2-6
Table 2-4. Attributes of the Three Waterborne Pathogens of Concern in Water Treatment	2-7
Table 2-5. Human Parasitic Protozoans	2-7
Table 2-6. The Effects of Various Oxidants on Mortality of the Asiatic Clam (<i>Corbicula fluminea</i>)	2-12
Table 2-7. Oxidant Doses Required for Oxidation of Iron and Manganese.....	2-14
Table 2-8. List of Disinfection Byproducts and Disinfection Residuals.....	2-17
Table 2-9. Status of Health Information for Disinfectants and DBPs.....	2-18
Table 2-10. Conditions of Formation of DBPs.....	2-22
Table 2-11. Inorganic DBPs Produced During Disinfection	2-23
Table 2-12. Required Removal of TOC by Enhanced Coagulation for Surface Water Systems Using Conventional Treatment (percent reduction).....	2-25
Table 2-13. CT Values for Inactivation of Viruses.....	2-26
Table 2-14. CT Values for Inactivation of <i>Giardia</i> Cysts.....	2-26
Table 2-15. Summary of Disinfection Impacts	2-27
Table 2-16. Disinfection Practices of Water Systems that Include Some Form of Treatment	2-29
Table 2-17. Ozone Application in Water Treatment Plants in the United States	2-30
Table 2-18. Chlorine Uses and Doses	2-34
Table 2-19. Typical Chlorine Points of Application and Uses	2-34
Table 2-20. Typical Chlorine Dosages at Water Treatment Plants.....	2-35
Table 2-21. Percent Reduction in DBP Formation by Moving Chlorination Point Later In Treatment Train.....	2-40
Table 2-22. Summary of Chlorine Disinfection	2-44
Table 3-1. Types of Compressors Used in Air Preparation Systems.....	3-7
Table 3-2. Comparison of Air and High Purity Oxygen Feed Systems	3-8
Table 3-3. Comparison of Primary Characteristics of Low, Medium, and High Frequency Ozone Generators.....	3-10
Table 3-4. Bubble Diffuser Contactor Advantages and Disadvantages	3-12
Table 3-5. Injection Contacting Advantages and Disadvantages	3-13
Table 3-6. Turbine Mixer Contactor Advantages and Disadvantages	3-14

Table 3-7. Criteria for Selecting Ozone Feed Points for Small Systems	3-18
Table 3-8. Summary of Reported Ozonation Requirements for 99 Percent Inactivation of Cryptosporidium Oocysts	3-27
Table 3-9. Principal Known Byproducts of Ozonation.....	3-28
Table 3-10. Characteristics and Comparisons of Gas-Phase Ozone Analytical Methods.....	3-33
Table 3-11. Characteristics and Comparisons of Residual Ozone Analytical Methods.....	3-36
Table 3-12. Summary of Ozone Disinfection Considerations.....	3-42
Table 4-1. Commercial Chlorine Dioxide Generators	4-5
Table 4-2. Surface Water Chlorine Dioxide Demand Study Results.....	4-14
Table 4-3. Analytical Methods for Chlorine Dioxide and Related Compounds.....	4-30
Table 4-4. Properties of Sodium Chlorite as Commercially Available.....	4-32
Table 4-5. Summary for Chlorine Dioxide	4-34
Table 5-1. Potassium Permanganate CT Values for 2-log Inactivation of MS-2 Bacteriophage.....	5-7
Table 5-2. Summary of Potassium Permanganate Use	5-12
Table 6-1. Chlorine Dose Required for NH ₃ - Cl ₂ Reaction	6-3
Table 6-2. Time to 99 Percent Conversion of Chlorine to Monochloramine	6-4
Table 6-3. Methods of Chlorine Addition	6-4
Table 6-4. CT Values for <i>Giardia</i> Cyst Inactivation Using Chloramines.....	6-15
Table 6-5. CT Values for Virus Inactivation Using Chloramines	6-15
Table 6-6. Characteristics and Comparisons of Monochloraminea Analytical Methods	6-18
Table 6-7. Survey of Chloramine Users in the United States.....	6-25
Table 6-8. Summary of Chloramine Disinfection	6-29
Table 7-1. Comparison Between Ozone and Peroxone Oxidation	7-4
Table 7-2. Calculated CT Values (Mg•Min/L) for the Inactivation of <i>Giardia Muris</i>	7-8
Table 7-3. Characteristics and Comparisons of Hydrogen Peroxide Analytical Methods	7-12
Table 7-4. Summary of Peroxone Disinfection Consideration.....	7-15
Table 8-1. Water Quality and Associated UV Measurements.....	8-3
Table 8-2. Doses Required for MS-2 Inactivation.....	8-13
Table 8-3. Summary of UV Disinfection	8-21
Table 9-1. Potential Primary Disinfectants	9-2
Table 9-2. Primary/Secondary Disinfectant Combinations and Typical Applications in Water Treatment	9-3
Table 9-3. DBPs Associated with Various Combined Oxidation/Disinfection Processes	9-4
Table 9-4. Strategies for Primary and Secondary Disinfectants	9-6
Table 9-5. Impacts of Disinfection Practice on DBP Formation	9-7
Table 9-6. Virus Inactivation By Individual Disinfectants and Simultaneous Chloramination.....	9-17
Table 9-7. <i>C. parvum</i> Inactivation Using Ozone Followed by Chlorine Dioxide	9-19
Table 9-8. <i>C. parvum</i> Inactivation Using Chlorine Dioxide Followed by Free Chlorine	9-19
Table 9-9. <i>G. muris</i> Inactivation Using Chlorine Dioxide Followed by Free Chlorine.....	9-19
Table 9-10. <i>B. cereus</i> Inactivation Using Chlorine Dioxide Followed by Free Chlorine	9-19
Table 9-11. <i>C. parvum</i> Inactivation Using Chlorine Dioxide Followed by Chloramine	9-20
Table 9-12. <i>G. muris</i> Inactivation Using Chlorine Dioxide Followed by Chloramine	9-20
Table 9-13. <i>G. muris</i> Inactivation Using Ozone Followed by Free Chlorine.....	9-21
Table 9-14. <i>B. cereus</i> Inactivation Using Chlorine Dioxide Followed by Free Chlorine	9-21
Table 9-15. <i>G. muris</i> Inactivation Using Ozone Followed by Chloramine.....	9-21
Table 9-16. <i>G. muris</i> Inactivation by Free Chlorine Followed by Monochloramine.....	9-22
Table 9-17. <i>C. parvum</i> Inactivation by Sequential Application of Ozone and Chloramine.....	9-22

Table 9-18. Summary of Combined Disinfectants	9-25
---	------

ACRONYMS

AECL	Alternate enhanced coagulant level
ACUK	Acid chrome violet K
AOC	Assimilable organic carbon
ASDWA	Association of State Drinking Water Administrators
AWWA	American Water Works Association
AWWARF	AWWA Research Foundation
BAC	Biologically active carbon
BAF	Biologically active filtration
BAT	Best Available Technology
BCAA	Bromochloroacetic acid
BDOC	Biodegradable organic carbon
BMP	Best management practice
BOM	Biodegradable Organic Matter (=BDOC + AOC)
Br-	Bromide ion
BrO ₂ -	Bromite ion
BrO ₃ -	Bromate ion
CI	Confidence interval
Cl ₂	Chlorine
ClO ₂	Chlorine Dioxide
CT	Concentration-Time
CWS	Community Water System
D/DBP	Disinfectants/disinfection byproducts
DBPR	Disinfectants/disinfection byproducts rule
DBP	Disinfection byproduct
DBPFP	Disinfection byproduct formation potential
DBPP	Disinfection byproduct precursors
DBPRAM	DBP Regulatory Assessment Model
DBPs	Disinfection byproducts
DOC	Dissolved organic carbon
DPD	N,N-diethyl-p-phenylenediamine
DWEL	Drinking Water Equivalent Level
EBCT	Empty bed contact time
EMSL	EPA Environmental Monitoring and Support Laboratory (Cincinnati)
EPA	United States Environmental Protection Agency
ESWTR	Enhanced Surface Water Treatment Rule
FBR	Filter Backwash Rule
FY	Fiscal year
GAC	Granular activated carbon
GWR	Ground Water Rule
GWSS	Ground Water Supply Survey
H ₂ O ₂	Hydrogen Peroxide
HAA5	Haloacetic acids (five)
HOBr	Hypobromous acid
HOCl	Hypochlorous acid
IC	Ion chromatography

ICR	Information Collection Rule
IESWTR	Interim Enhanced Surface Water Treatment Rule
IOA	International Ozone Association
IOC	Inorganic chemical
KMnO ₄	Potassium permanganate
LOAEL	Lowest observed adverse effect level
LOQ	Limit of quantitation
LT1ESWTR	Long Term Stage 1 Enhanced Surface Water Treatment Rule
M-DBP	Microbial and disinfection byproducts
MCL	Maximum Contaminant Level
MCLG	Maximum Contaminant Level Goal
MDL	Method Detection Limit
mg/L	Milligrams per liter
mgd	Million gallons per day
MIB	Methylisoborneol
MRDL	Maximum Residual Disinfectant Level (as mg/l)
MRDLG	Maximum Residual Disinfectant Level Goal
MRL	Minimum Reporting Level
MX	3-chloro-4-(dichloromethyl)-5-hydroxyl-2(5H)-furanone
NaCl	Sodium chloride
NCI	National Cancer Institute
ND	Not detected
NH ₂ Cl	Monochloramine
NIPDWR	National Interim Primary Drinking Water Regulation
NIOSH	National Institute for Occupational Safety and Health
NOAEL	No Observed Adverse Effect Level
NOM	Natural Organic Matter
NOMS	National Organic Monitoring Survey
NORS	National Organics Reconnaissance Survey for Halogenated Organics
NPDWR	National Primary Drinking Water Regulation
NTNCWS	Nontransient noncommunity water system
NTP	Normal Temperature and Pressure
O ₂	Oxygen
O ₃	Ozone
OBr ⁻	Hypobromite ion
OCl ⁻	Hypochlorite ion
PCE	Perchloroethylene
PE	Performance evaluation
POE	Point-of-Entry Technologies
POU	Point-of-Use Technologies
ppb	Parts per billion
ppm	Parts per million
PQL	Practical Quantitation Level
PTA	Packed Tower Aeration
PWS	Public water system
RIA	Regulatory Impact Analysis
RMCL	Recommended Maximum Contaminant Level
RNDB	Regulations Negotiation Data Base
RSC	Relative Source Contribution
SDWA	Safe Drinking Water Act, or the "Act," as amended in 1996
SM	Standard Method

SMCL	Secondary Maximum Contaminant Level
SMR	Standardized mortality ratios
SOC	Synthetic Organic Chemical
SWTR	Surface Water Treatment Rule
TCE	Trichloroethylene
THM	Trihalomethane
THMFP	Trihalomethane formation potential
TMV	Tobacco mosaic virus
TOC	Total organic carbon
TTHM	Total trihalomethanes
TWG	Technologies Working Group
UV	Ultraviolet
VOC	Volatile Organic Chemical
WIDB	Water Industry Data Base
WS	Water supply
XDBPs	Halogenated DBPs

THIS PAGE INTENTIONALLY LEFT BLANK