


United States
Environmental Protection
Agency

Office of Water
(4607)

EPA 815-R-99-010
April 1999



Guidance Manual for Compliance with the Interim Enhanced Surface Water Treatment Rule: Turbidity Provisions



DISCLAIMER

This manual provides public water systems and drinking water primacy agencies with guidance for complying with the turbidity provisions found within the Interim Enhanced Surface Water Treatment Rule (IESWTR).

This document was issued in support of EPA regulations and policy initiatives involving development and implementation of the IESWTR. This document is EPA guidance only. It does not establish or affect legal rights or obligation. EPA decisions in any particular case will be made applying the laws and regulation on the basis of specific facts when permits are issued or regulations promulgated.

Mention of trade names or commercial products does not constitute an EPA endorsement or recommendation for use.

ACKNOWLEDGMENTS

The Environmental Protection Agency gratefully acknowledges the assistance of the members of the Microbial and Disinfection Byproducts Federal Advisory Committee and Technical Work Group for their comments and suggestions to improve this document. EPA also wishes to thank the representatives of drinking water utilities, researchers, and the American Water Works Association for their review and comment. Finally the Agency would like to recognize the individual contribution of the following:

Randy Goss, City of Austin

Ray Letterman, Syracuse University

Mike Pickel, City of Philadelphia Water Department

Paul Gilbert Snyder, California Department of Health Services

Brian Tarbuck, Maine Department of Human Services

John Miller, Los Angeles Department of Water and Power

Blake Atkins, U.S. EPA Region VI

Eric Bissonette, U.S. EPA, OGWDW, TSC

Jon Bender, U.S. EPA, OGWDW, TSC

Ralph Flournoy, U.S. EPA Region VII

Jeff Robichaud, U.S. EPA, OGWDW

CONTENTS

1. INTRODUCTION	1-1
1.1 Purpose of Document	1-1
1.2 Summary of Chapters.....	1-1
2. TURBIDITY REQUIREMENTS: IESWTR.....	2-1
2.1 Introduction	2-1
2.2 Regulatory Requirements	2-3
2.2.1 Applicability.....	2-3
2.2.2 Combined Filter Effluent Monitoring.....	2-3
2.2.3 Individual Filter Monitoring.....	2-8
2.3 Reporting and Recordkeeping.....	2-9
2.3.1 System Reporting Requirements	2-9
2.3.2 State Reporting Requirements.....	2-11
2.3.3 System Recordkeeping Requirements	2-12
2.3.4 State Recordkeeping Requirements	2-12
2.4 Additional Compliance Issues	2-12
2.4.1 Schedule.....	2-12
2.4.2 Individual Filter Follow-up Action.....	2-13
2.4.3 Notification	2-15
2.4.4 Variances and Exemptions.....	2-18
2.5 References	2-19
3. TURBIDITY METHODS & MEASUREMENT	3-1
3.1 Introduction	3-1
3.2 Approved Turbidity Methods	3-1
3.2.1 EPA Method 180.1	3-1
3.2.2 Standard Method 2130B	3-1
3.2.3 Great Lakes Instrument Method 2 (GLI 2).....	3-2
3.3 Turbidimeters.....	3-2
3.3.1 Bench Top Turbidimeters	3-2
3.4 Quality Assurance/Quality Control	3-6
3.4.1 Quality Assurance Organization and Responsibilities	3-7
3.4.2 Quality Assurance Objectives	3-7
3.4.3 Standard Operating Procedures	3-7
3.4.4 Sampling Strategy and Procedures	3-9
3.4.5 Calibration	3-12
3.4.6 Data Screening, Validation, and Reporting.....	3-15
3.4.7 Performance and System Audits.....	3-16
3.4.8 Preventative Maintenance	3-16
3.5 Data Collection and Management.....	3-17
3.5.1 Data Collection Methods	3-17
3.5.2 Data Management.....	3-19
3.6 References	3-20
4. APPROACH FOR COMPLIANCE.....	4-1
4.1 Compliance Approach for Turbidity Requirements	4-1
4.2 System Evaluation & Plant Optimization	4-1
4.2.1 Coagulation/Rapid Mixing.....	4-2
4.2.2 Flocculation.....	4-4
4.2.3 Sedimentation.....	4-6
4.2.4 Filtration	4-7

CONTENTS

4.3 Process Enhancements/Technologies	4-8
4.4 References	4-9
5. INDIVIDUAL FILTER SELF ASSESSMENT.....	5-1
5.1 Introduction	5-1
5.2 Developing A Filter Run Profile	5-4
5.3 Assessing Hydraulic Loading Conditions Of Filter.....	5-6
5.4 Assessing Condition & Placement Of Filter Media	5-7
5.5 Assessing Backwash Practices.....	5-8
5.6 Assessing Condition Of Support Media/Underdrains	5-12
5.7 Assessing Rate-Of-Flow Controllers & Filter Valve Infrastructure	5-14
5.8 References	5-14
6. COMPREHENSIVE PERFORMANCE EVALUATION	6-1
6.1 Introduction.....	6-1
6.2 Background On The CPE.....	6-1
6.3 Components of a CPE.....	6-4
6.3.1 Performance Assessment.....	6-4
6.3.2 Major Unit Process Evaluation.....	6-7
6.3.3 Factors Limiting Performance.....	6-8
6.4 Activities During a CPE.....	6-10
6.5 CPE Quality Control.....	6-13
6.6 Next Steps.....	6-15
6.7 References.....	6-16
7. IMPORTANCE OF TURBIDITY	7-1
7.1 Overview.....	7-1
7.2 Turbidity: Definition, Causes, and History as a Water Quality Parameter.....	7-1
7.3 Turbidity's Significance to Human Health	7-4
7.3.1 Waterborne Disease Outbreaks	7-5
7.3.2 The Relationship Between Turbidity Removal and Pathogen Removal	7-7
7.4 References.....	7-10
8. PARTICLES CONTRIBUTING TO TURBIDITY.....	8-1
8.1 Introduction	8-1
8.2 Characteristic Properties of Particles.....	8-1
8.2.1 Particle Settling	8-2
8.2.2 Particle Density and Size Distribution.....	8-3
8.3 Inorganic Particles.....	8-4
8.3.1 Naturally Occurring Minerals	8-4
8.4 Organic Particles.....	8-5
8.4.1 Synthetic Organics.....	8-5
8.4.2 Natural Organic Matter (NOM).....	8-5
8.4.3 Total Organic Carbon (TOC)	8-6
8.4.4 Organic Disinfection By-products (DBPs).....	8-6
8.5 Particles of Biotic Origin.....	8-7
8.5.1 Protozoans.....	8-7
8.5.2 Viruses	8-8
8.5.3 Algae	8-9
8.5.4 Bacteria	8-9
8.6 Particles Added or Created During Treatment.....	8-13
8.6.1 Coagulants	8-13
8.6.2 Powdered Activated Carbon (PAC).....	8-14

8.6.3 Recycle Flows	8-14
8.7 Electrokinetic Properties of Particles	8-14
8.7.1 Electrical Potential.....	8-15
8.7.2 Electrical Double Layer Theory	8-15
8.8 References	8-18
9. TURBIDITY IN SOURCE WATER.....	9-1
9.1 Introduction	9-1
9.2 Occurrence of Turbidity in Surface Water Supplies.....	9-1
9.2.1 Rivers.....	9-1
9.2.2 Lakes and Reservoirs.....	9-7
9.3 Ground Water Under the Direct Influence (GWUDI)	9-9
9.4 Additional Watershed Considerations	9-9
9.5 Water Sources Occurrence in the United States.....	9-10
9.6 References	9-11
10. TURBIDITY THROUGH THE TREATMENT PROCESSES.....	10-1
10.1 Introduction	10-1
10.2 Intake Facilities/Raw Water Screening	10-2
10.2.1 Intake Location	10-2
10.2.2 Intake Depth.....	10-2
10.2.3 Effect on Turbidity	10-3
10.3 Pre-sedimentation	10-3
10.3.1 Effect on Turbidity	10-3
10.4 Coagulation	10-4
10.4.1 Chemicals	10-4
10.4.2 Rapid Mixing	10-6
10.4.3 Effect on Turbidity	10-6
10.5 Flocculation	10-7
10.5.1 Slow Mixing	10-7
10.5.2 Detention Time	10-7
10.5.3 Effect on Turbidity	10-8
10.6 Sedimentation/Clarification.....	10-8
10.6.1 Effect on Turbidity	10-11
10.7 Filtration.....	10-11
10.7.1 Conventional Rapid Sand Filters.....	10-11
10.7.2 Slow Sand Filters	10-14
10.7.3 Pressure Filters.....	10-15
10.7.4 Precoat/Diatomaceous Earth Filters	10-16
10.7.5 Effect on Turbidity	10-16
10.8 Membrane Processes	10-17
10.8.1 Effect on Turbidity	10-20
10.9 Recycle Streams.....	10-20
10.9.1 Sources of Recycle Streams	10-21
10.9.2 Recycle Stream Quantity and Quality.....	10-21
10.9.3 Point of Recycle Stream Return	10-22
10.9.4 Effect on Turbidity	10-22
10.10 References	10-22
11. BASIC TURBIDIMETER DESIGN AND CONCEPTS.....	11-1
11.1 Introduction	11-1
11.2 Turbidimeter Measuring Principles.....	11-1
11.2.1 Light Source.....	11-2
11.2.2 Sample Volume.....	11-3

11.2.3 Photodetector	11-3
11.3 Turbidimeter Design Configurations.....	11-3
11.3.1 Design Standards.....	11-4
11.3.2 Single Beam Design	11-5
11.3.3 Ratio Design	11-6
11.3.4 Modulated Four Beam Design	11-7
11.3.5 Surface Scatter Design.....	11-7
11.3.6 Transmittance Design.....	11-8
11.4 Types of Turbidimeters	11-8
11.4.1 Bench Top Turbidimeters	11-9
11.4.2 Portable Turbidimeters	11-9
11.4.3 On-Line Turbidimeters	11-10
11.5 References	11-11

APPENDIX A LIST OF DEFINITIONS

APPENDIX B DETERMINATION OF TURBIDITY BY NEPHELOMETRY

APPENDIX C TURBIDITY STANDARD METHOD

APPENDIX D TURBIDITY GLI METHOD 2

FIGURES

Figure 2-1.	Flowchart of IESWTR General Requirements	2-2
Figure 2-2.	Flowchart of IESWTR Combined Filter Provisions for Conventional and Direct Filtration Systems	2-5
Figure 2-3.	Flowchart of IESWTR Combined Filter Provisions for Alternative Filtration Technologies	2-6
Figure 2-4.	Flowchart of SWTR Combined Filter Provisions for Slow Sand and Diatomaceous Earth Filtration.....	2-7
Figure 2-5.	Flowchart of IESWTR Individual Filter Provisions.....	2-10
Figure 2-6.	Example Filter Profile.....	2-13
Figure 3-1.	Calibration Checklist	3-16
Figure 5-1.	Filter Run Profile – Turbidity (NTU) vs. Time	5-5
Figure 5-2.	Box Used for Excavation	5-7
Figure 5-3.	Box Excavation Demonstration.....	5-8
Figure 5-4.	Pipe Bed Expansion.....	5-11
Figure 5-5.	Bed Expansion Device	5-11
Figure 5-6.	On-Line Turbidimeters Showing Performance Problems Due to Inoperable Rate-of-Flow Controllers	5-14
Figure 6-1.	Capable Plant Model.....	6-2
Figure 6-2.	An Example of Performance Assessment Using Historical Data	6-6
Figure 6-3.	An Example of Individual Filter Data Collected During CPE.....	6-7
Figure 6-4.	Example Performance Potential Graph	6-8
Figure 6-5.	Activities During a CPE.....	6-12
Figure 7-1.	Typical Sources of Turbidity in Drinking Water	7-2
Figure 7-2.	Jackson Candle Turbidimeter	7-3
Figure 7-3.	Nephelometric Turbidimeter	7-5
Figure 7-4.	Particles of Turbidity May Provide Protection for Microorganisms.....	7-6
Figure 7-5.	Relationship Between Removal of <i>Giardia</i> and Turbidity	7-8
Figure 7-6.	Relationship Between Removal of <i>Cryptosporidium</i> and Turbidity	7-8
Figure 8-1.	Particle Size Spectrum	8-2
Figure 8-2.	Cryptosporidium Life Cycle	8-8
Figure 8-3.	Plankton and Other Surface Water Algae	8-10
Figure 8-4.	Filter Clogging Algae	8-11
Figure 8-5.	Examples of Bacteria and Fungi Forms	8-12
Figure 8-6.	Double Layer Theory (Guoy-Stern Colloidal Model).....	8-16
Figure 9-1.	The Natural Hydrologic Cycle.....	9-2
Figure 9-2.	Typical Watershed	9-3
Figure 9-3.	Sources of Contaminants in Raw Water Supplies.....	9-4
Figure 9-4.	Turbidity Increase Event on the Missouri River at Omaha	9-6
Figure 9-5.	Turbidity Increase Due to Forest Fire in Buffalo Creek.....	9-8
Figure 9-6.	Raw Water Source by Water System Size.....	9-10
Figure 10-1.	A Typical Conventional Water Treatment System	10-1
Figure 10-2.	The Alum Coagulation Diagram and Its Relationship to Zeta Potential.....	10-5
Figure 10-3.	Circular Radial-flow Clarifier	10-9
Figure 10-4.	Plate Settlers Used for High Rate Sedimentation	10-10
Figure 10-5.	Accelerator Solids Contact Unit.....	10-10
Figure 10-6.	Typical Rapid Sand Filter	10-12
Figure 10-7.	Typical Covered Slow Sand Filter Installation	10-14

CONTENTS

Figure 10-8. Cross Section of a Typical Pressure Filter.....	10-15
Figure 10-9. Typical Filter Run Showing Progress of Floc Penetration and Effluent Turbidity	10-17
Figure 10-10. Pressure-Driven Membrane Process Application Guide	10-18
Figure 10-11. Typical Spiral-Wound Reverse Osmosis Membrane Module Driven	10-19
Figure 10-12. Typical Hollow Fine-Fiber Reverse Osmosis Membrane Module.....	10-19
Figure 10-13. Representation of hollow-fiber UF module	10-20
Figure 11-1. Scattered Light at 90°.....	11-1
Figure 11-2. Angular Patterns of Scattered Light from Particles of Different Sizes.....	11-2
Figure 11-3. Basic Nephelometer.....	11-5
Figure 11-4. Ratio Turbidimeter.....	11-6
Figure 11-5. Modulated Four-Beam Turbidimeter	11-7
Figure 11-6. Surface Scatter Turbidimeter.....	11-8
Figure 11-7. Bench Top Turbidimeter	11-9
Figure 11-8. Portable Turbidimeter	11-9

TABLES

Table 5-1. Individual Filter Self Assessment Worksheet.....	5-3
Table 5-2. WTP Performance Deviation Trigger Events	5-5
Table 5-3. General Guide to Acceptable Filter Hydraulic Loading Rates.....	5-6
Table 5-4. Guidelines Regarding Acceptable Backwashing Practices.....	5-9
Table 5-5. Example Filter Support Gravel Placement Grid	5-13
Table 6-1. CCP Optimized Performance Goals.....	6-3
Table 6-2. Evaluation Team Capabilities	6-13
Table 6-3. Quality Control Checklist for Completed CPEs	6-14
Table 7-1. Cryptosporidium Outbreaks vs. Finished Water Turbidity	7-7
Table 7-2. Studies on the Relationship between Turbidity Removal and Protozoa Removal.....	7-9
Table 10-1. Typical Feed Pressures for Pressure Driven Membrane Processes	10-18

ACRONYMS

AIDs	Acquired Immune Deficiency Syndrome
ASCE	American Society of Civil Engineers
AWWA	American Water Works Association
AWWARF	American Water Works Association Research Foundation
CB	Calibration Blank
CCP	Composite Correction Program
CDC	Centers for Disease Control
CDHS	California Department of Health Services
CFR	Code of Federal Regulations
CPE	Comprehensive Performance Evaluation
CSO	Combined Sewer Overflow
CTA	Comprehensive Technical Assistance
CWSS	Community Water System Survey
DCS	Distributed Control Systems
DBP	Disinfection Byproduct
DE	Diatomaceous Earth
EPA	Environmental Protection Agency
FR	Federal Register
FTU	Formazin Turbidity Units
GLI	Great Lakes Instrument
GWUDI	Ground Water Under the Direct Influence
HIV	Human Immunodeficiency Virus
IESWTR	Interim Enhanced Surface Water Treatment Rule
IPC	Instrument Performance Check Solution
ISO	International Organization for Standardization
JTU	Jackson Turbidity Units
LAN	Local Area Network
LCR	Linear Calibration Range
LRB	Laboratory Reagent Blank
LED	Light Emitting Diode
MCL	Maximum Contaminant Level
MSDS	Material Safety Data Sheet
NAS	National Academy of Sciences
NCEPI	National Center for Environmental Publications and Information
NOM	Natural Organic Matter
NPDES	National Pollution Discharge Elimination System
NPDWR	National Primary Drinking Water Regulation
NSF	National Science Foundation
NTU	Nephelometric Turbidity Units
PAC	Powdered Activated Carbon
PC	Personal Computer
PCAL	Primary Calibration Standard
PCBs	Polychlorinated Biphenyls
PWS	Public Water System
QA	Quality Assurance
QC	Quality Control
QCS	Quality Control Sample
RIA	Regulatory Impact Analysis
SCADA	Supervisory Control and Data Acquisition
SCAL	Secondary Calibration Standards
SDWA	Safe Drinking Water Act
SOP	Standard Operating Procedure
SS	Secondary Calibration Standard

CONTENTS

SSS	Stock Standard Suspension
SWTR	Surface Water Treatment Rule
TOC	Total Organic Carbon
THM	Trihalomethane